

Ground Support Specialists

Model GS 600 *Maintenance Lift*



Key Features

- *Platform Height 16 ft.*
- *Pendant Control Box*
- *Descent Alarm*
- *Front & Rear Stabilizers*
- *Power Train Options*
- *EPA/CARB Certified*

The GS600 is a purpose built chassis mounted maintenance lift designed to meet a variety of needs in airline ground support applications. The GS600 combines a proven scissor arms and platform with a rugged custom built chassis.



Ground Support Specialists, LLC
2205 Cole Road
Horn Lake, MS 38637
www.gssonline.com

Model GS 600

Maintenance Lift

SPECIFICATIONS	GS600
Platform Height Elevated	16 ft
Platform Height Lowered	3 ft. 6 in.
Platform Railing Height	42 in.
Platform Size	84.0 x 168.0 in.
Platform Capacity	2000 lbs.
GVWR	10,500 lbs
Max Vehicle Speed	Adjustable to 25 Mph
Wheel Base	101.0 in.
Engine	Perkins 404D-22T/CAT 2.2T
Advertised BHP	60hp @ 2800 rpm
Peak Torque	190 lb.ft. @ 1800 rpm
Cooling System	120 deg F. Ambient
Transmission	Ford C6
Electrical System	12V, Neg Ground
Steering	Hydrostatic
Front Axle	Dana 70-DF
Front GAWR	5,700 lbs.
Rear Axle	Dana 70-B
Rear GAWR	7,500 lbs.
Gear Ratio	7.17
Wheels	16 in. x 6 in.
Tires	225/75R16 / Pending
Brakes	Front Disc, Rear Drum
Fuel Tank	28 Gallon

Standard Features

- Fold Down Platform Rails
- Movable, Removable Platform Control Box
- Scissor Maintenance Prop
- Descent Alarm
- Front and Rear Hydraulic Stabilizers

Optional Equipment

- Platform Work Lights
- Platform Rail Mounted Bumper Padding
- Hitches
- Back-up Alarm
- Rotating/Flashing Beacon



Ground Support Specialists, LLC
2205 Cole Road
Horn Lake, MS 38637
Office: (662) 342-1412

www.gssonline.com

Email: rudy@gssonline.com